

REFERENCE GUIDE **2025**

SINGLE-ZONE

HIGH WALLS													
Outdoor Model No.	Indoor Model No.	AHRI NO.	Nominal Capacity (Btu)	SEER2 / EER2	HSPF2 / COP @5°F	Cooling Range (°F)	Heating Range (°F)	MCA / MOCP (A)	Line Set (Port) Size (inch)	Max line length (ft)	Max Lift/Drop OD to ID units (ft)	Included remote controller	WIFI
LIVO R32													
LIV09HP115V1R32AO	LIV09HP115V1R32AH	214779525	9K	20.5 / 11.9	8.8 / 1.9	0 - 118	-13 - 75	19 / 20	1/4 - 3/8	66	40	 Model number: YBE1FB1F Part number: 305001060236	Built-In
LIV12HP115V1R32AO	LIV12HP115V1R32AH	214779351	12K	19.0 / 9.8	8.5 / 1.8	0 - 118	-13 - 75	19 / 20	1/4 - 3/8	66	40		Built-In
LIV09HP230V1R32AO	LIV09HP230V1R32AH	214779524	9K	20.5 / 12.5	8.8 / 1.9	0 - 118	-13 - 75	10 / 15	1/4 - 3/8	66	40		Built-In
LIV12HP230V1R32AO	LIV12HP230V1R32AH	214779350	12K	19.0 / 9.8	8.5 / 1.8	0 - 118	-13 - 75	12 / 15	1/4 - 3/8	66	40		Built-In
LIV18HP230V1R32AO	LIV18HP230V1R32AH	214780395	18K	20.0 / 12.4	8.5 / 1.8	0 - 118	-13 - 75	13 / 15	1/4 - 1/2	82	33		Built-In
LIV24HP230V1R32AO	LIV24HP230V1R32AH	214779349	24K	19.0 / 11.9	8.5 / 1.8	0 - 118	-13 - 75	15 / 20	1/4 - 1/2	131	82		Built-In
LIV30HP230V1R32AO	LIV30HP230V1R32AH	214802443	30K	22.0 / 10.9	9.0 / 1.8	0 - 118	-13 - 75	25.6 / 35	1/4 - 5/8	131	82		Built-In
LIV36HP230V1R32AO	LIV36HP230V1R32AH	214779348	36K	21.0 / 10.6	8.5 / 1.8	0 - 118	-13 - 75	23 / 35	1/4 - 5/8	131	82		Built-In
VIREO R32													
VIR09HP230V1R32AO	VIR09HP230V1R32AH	214779340	9K	26.0 / 15.0	10.4 / 1.88	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	66	40	 Model number: YBE1FB1F Part number: 305001060236	Built-In
VIR12HP230V1R32AO	VIR12HP230V1R32AH	214813257	12K	24.5 / 13.0	9.5 / 1.95	-20 - 122	-22 - 86	10 / 15	1/4 - 1/2	66	40		Built-In
VIR18HP230V1R32AO	VIR18HP230V1R32AH	215218911	18K	24.5 / 13.65	9.0 / 1.9	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	131	82		Built-In
VIR24HP230V1R32AO	VIR24HP230V1R32AH	215218912	24K	26.0 / 13.65	10.0 / 1.8	-20 - 122	-22 - 86	22 / 30	1/4 - 5/8	131	82		Built-In
ENVO R32													
ENV09HP230V1R32AO	ENV09HP230V1R32AH	214779342	9K	26.0 / 15.0	10.4 / 1.96	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	66	40	 Model number: YBE1FB1F Part number: 305001060204	Built-In
ENV12HP230V1R32AO	ENV12HP230V1R32AH	214779344	12K	24.5 / 13.0	9.5 / 1.95	-20 - 122	-22 - 86	10 / 15	1/4 - 1/2	66	40		Built-In
ENV18HP230V1R32AO	ENV18HP230V1R32AH	214777850	18K	24.5 / 13.65	9.0 / 1.9	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	131	82		Built-In
ENV24HP230V1R32AO	ENV24HP230V1R32AH	214779345	24K	24.0 / 13.1	9.0 / 1.75	-20 - 122	-22 - 86	22 / 30	1/4 - 5/8	131	82		Built-In
SAPPHIRE R32													
SAP09HP230V1R32AO	SAP09HP230V1R32AH	214802444	9K	30.0 / 16.8	11.2 / 2.11	-20 - 122	-22 - 86	11 / 15	1/4 - 1/2	131	82	 Model number: YBE1FB9F Part number: 305001060233	Built-In
SAP12HP230V1R32AO	SAP12HP230V1R32AH	214810380	12K	28.0 / 15.2	10.0 / 2.0	-20 - 122	-22 - 86	11 / 15	1/4 - 1/2	131	82		Built-In
SAP18HP230V1R32AO	SAP18HP230V1R32AH	215295786	18K	27.5 / 14.3	10.0 / 1.8	-20 - 122	-22 - 86	20 / 25	1/4 - 5/8	131	82		Built-In
SAP24HP230V1R32AO	SAP24HP230V1R32AH	215283088	24K	27.0 / 13.95	10.0 / 1.8	-20 - 122	-22 - 86	25 / 40	1/4 - 5/8	131	82		Built-In

ALL MATCH														
Indoor Model No.	Outdoor Model No.	AHRI NO.	Nominal Capacity (Btu)	SEER2 / EER2	HSPF2 / COP @5°F	Cooling Range (°F)	Heating Range (°F)	MCA / MOCP (A)	IDU Line Set (Port) Size (inch)	ODU Line Set (Port) Size (inch)	Max line lenght (ft)	Max Lift / Drop OD to ID units (ft)	Included remote controller	Wired controller (XE72-44/E)
360° CASSETTE ¹														
CAS09HP230VIR32AH	VIR09HP230VIR32AO	215413813	9K	24.0 / 15.0	9.2 / 1.94	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180	 INCLUDED
	ENV12HP230VIR32AO	215413808	9K	24.0 / 15.0	9.2 / 1.94	-20 - 122	-22 - 86	10 / 15		1/4 - 3/8	66	40		
	SAP09HP230VIR32AO	215415548	9K	24.5 / 15.0	9.2 / 1.94	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
CAS12HP230VIR32AH	VIR12HP230VIR32AO	215415563	12K	23.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 1/2	66	40		
	ENV12HP230VIR32AO	215415568	12K	23.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15		1/4 - 1/2	66	40		
	SAP12HP230VIR32AO	215415528	12K	23.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
CAS18HP230VIR32AH	VIR18HP230VIR32AO	215417457	18K	21.0 / 10.9	9.0 / 1.80	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
	ENV18HP230VIR32AO	215417450	18K	21.0 / 10.9	9.0 / 1.80	-20 - 122	-22 - 86	16 / 20		1/4 - 1/2	131	82		
	SAP18HP230VIR32AO	215416024	18K	23.0 / 10.75	9.2 / 1.80	-20 - 122	-22 - 86	20 / 25		1/4 - 5/8	131	82		
CAS24HP230VIR32AH	VIR24HP230VIR32AO	215415516	24K	22.5 / 11.6	9.0 / 1.80	-20 - 122	-22 - 86	22 / 30	1/4 - 5/8	1/4 - 5/8	131	82		
	ENV24HP230VIR32AO	215415519	24K	22.5 / 11.6	9.0 / 1.80	-20 - 122	-22 - 86	22 / 30		1/4 - 5/8	131	82		
	SAP24HP230VIR32AO	215415445	24K	23.0 / 12.5	9.0 / 1.80	-20 - 122	-22 - 86	25 / 40		1/4 - 5/8	131	82		
CAS30HP230VIR32AH	LIV30HP230VIR32AO	215413820	30K	22.0 / 10.9	9.0 / 1.8	0 - 118	-13 - 75	25.6 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
CAS36HP230VIR32AH	LIV36HP230VIR32AO	215415560	36K	21.0 / 10.6	8.5 / 1.8	0 - 118	-13 - 75	23 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
SLIM DUCT														
DUC09HP230VIR32AH	VIR09HP230VIR32AO	215413817	9K	22.0 / 14.2	9.2 / 2.15	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180	 INCLUDED
	ENV12HP230VIR32AO	215413812	9K	22.0 / 14.2	9.2 / 2.15	-20 - 122	-22 - 86	10 / 15		1/4 - 3/8	66	40		
	SAP09HP230VIR32AO	215415547	9K	22.3 / 14.3	9.5 / 1.80	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
DUC12HP230VIR32AH	VIR12HP230VIR32AO	215415562	12K	21.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 1/2	66	40		
	ENV12HP230VIR32AO	215415567	12K	21.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15		1/4 - 1/2	66	40		
	SAP12HP230VIR32AO	215415527	12K	22.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
DUC18HP230VIR32AH	VIR18HP230VIR32AO	215417458	18K	22.5 / 14.0	9.0 / 1.90	-20 - 122	-22 - 86	16 / 20	1/4 - 5/8	1/4 - 1/2	131	82		
	ENV18HP230VIR32AO	215417451	18K	22.5 / 14.0	9.0 / 1.90	-20 - 122	-22 - 86	16 / 20		1/4 - 1/2	131	82		
	SAP18HP230VIR32AO	215416020	18K	24.0 / 13.65	9.2 / 1.80	-20 - 122	-22 - 86	20 / 25		1/4 - 5/8	131	82		
DUC24HP230VIR32AH	VIR24HP230VIR32AO	215415515	24K	19.5 / 12.3	9.0 / 1.80	-20 - 122	-22 - 86	22 / 30	1/4 - 5/8	1/4 - 5/8	131	82		
	ENV24HP230VIR32AO	215415518	24K	19.5 / 12.3	9.0 / 1.80	-20 - 122	-22 - 86	22 / 30		1/4 - 5/8	131	82		
	SAP24HP230VIR32AO	215415446	24K	22.0 / 12.5	9.0 / 1.80	-20 - 122	-22 - 86	25 / 40		1/4 - 5/8	131	82		
DUC30HP230VIR32AH	LIV30HP230VIR32AO	215413818	30K	18.5 / 11.2	8.5 / 1.80	0 - 118	-13 - 75	25.6 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
DUC36HP230VIR32AH	LIV36HP230VIR32AO	215415559	36K	20.0 / 11.95	8.5 / 1.90	0 - 118	-13 - 75	23 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
FLOOR CEILING														
FLR09HP230VIR32AH	VIR09HP230VIR32AO	215413815	9K	25.0 / 14.2	9.6 / 1.95	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180	 INCLUDED
	ENV09HP230VIR32AO	215413810	9K	25.0 / 14.2	9.6 / 1.95	-20 - 122	-22 - 86	10 / 15		1/4 - 3/8	66	40		
	SAP09HP230VIR32AO	215415549	9K	25.5 / 14.3	9.8 / 1.90	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
FLR12HP230VIR32AH	VIR12HP230VIR32AO	215415565	12K	23.0 / 13.0	9.5 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 1/2	66	40		
	ENV12HP230VIR32AO	215415570	12K	23.0 / 13.0	9.5 / 1.90	-20 - 122	-22 - 86	10 / 15		1/4 - 1/2	66	40		
	SAP12HP230VIR32AO	215415529	12K	23.0 / 13.0	9.5 / 1.90	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
FLR18HP230VIR32AH	VIR18HP230VIR32AO	215417460	18K	21.5 / 12.8	9.5 / 1.90	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
	ENV18HP230VIR32AO	215417453	18K	21.5 / 12.8	9.5 / 1.90	-20 - 122	-22 - 86	16 / 20		1/4 - 1/2	131	82		
	SAP18HP230VIR32AO	216019855	18K	21.5 / 11.25	9.2 / 1.80	-20 - 122	-22 - 86	20 / 25		1/4 - 5/8	131	82		
FLR24HP230VIR32AH	VIR24HP230VIR32AO	215415517	24K	22.5 / 12.6	9.5 / 1.80	-20 - 122	-22 - 86	22 / 30	1/4 - 5/8	1/4 - 5/8	131	82		
	ENV24HP230VIR32AO	215415520	24K	22.5 / 12.6	9.5 / 1.80	-20 - 122	-22 - 86	22 / 30		1/4 - 5/8	131	82		
	SAP24HP230VIR32AO	215415447	24K	23.0 / 13.0	9.5 / 1.80	-20 - 122	-22 - 86	25 / 40		1/4 - 5/8	131	82		
FLR30HP230VIR32AH	LIV30HP230VIR32AO	215413819	30K	21.0 / 11.45	8.0 / 1.80	0 - 118	-13 - 75	25.6 / 35	1/4 - 5/8	1/4 - 5/8	131	82		
FLR36HP230VIR32AH	LIV36HP230VIR32AO	215415561	36K	21.0 / 11.25	8.5 / 1.80	0 - 118	-13 - 75	23 / 35	1/4 - 5/8	1/4 - 5/8	131	82		

ONE WAY CASSETTE'														
OWC09HP230V1R32AH	VIR09HP230V1R32AO	215413814	9K	22.0 / 13.1	9.5 / 1.97	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180	 INCLUDED
	ENV12HP230V1R32AO	215413809	9K	22.0 / 13.1	9.5 / 1.97	-20 - 122	-22 - 86	10 / 15		1/4 - 3/8	66	40		
	SAP09HP230V1R32AO	215415551	9K	22.5 / 13.65	9.5 / 1.75	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
OWC12HP230V1R32AH	VIR12HP230V1R32AO	215415564	12K	21.5 / 12.3	9.5 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 1/2	66	40		
	ENV12HP230V1R32AO	215415569	12K	21.5 / 12.3	9.5 / 1.90	-20 - 122	-22 - 86	10 / 15		1/4 - 1/2	66	40		
	SAP12HP230V1R32AO	215415531	12K	21.5 / 12.3	9.5 / 1.90	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
OWC18HP230V1R32AH	VIR18HP230V1R32AO	215417456	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
	ENV18HP230V1R32AO	215417449	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20		1/4 - 1/2	131	82		
	SAP18HP230V1R32AO	215416022	18K	23.5 / 10.90	8.7 / 1.80	-20 - 122	-22 - 86	20 / 25		1/4 - 5/8	131	82		
OWC20HP230V1R32AH	VIR18HP230V1R32AO	215417462	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
	ENV18HP230V1R32AO	215417455	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20		1/4 - 1/2	131	82		
	SAP18HP230V1R32AO	215416023	18K	23.5 / 10.75	8.7 / 1.80	-20 - 122	-22 - 86	20 / 25		1/4 - 5/8	131	82		
MINI CONSOLE														
CON09HP230V1R32AH	VIR09HP230V1R32AO	215413816	9K	23.0 / 15.0	9.5 / 1.75	-20 - 122	-22 - 86	10 / 15	1/4 - 3/8	1/4 - 3/8	66	40	 Model number: YBE1FB5F Part number: 305001060180	 OPTIONAL
	ENV12HP230V1R32AO	215413811	9K	23.0 / 15.0	9.5 / 1.75	-20 - 122	-22 - 86	10 / 15		1/4 - 3/8	66	40		
	SAP09HP230V1R32AO	215415550	9K	23.3 / 15.3	9.5 / 1.75	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
CON12HP230V1R32AH	VIR12HP230V1R32AO	215415566	12K	23.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15	1/4 - 1/2	1/4 - 1/2	66	40		
	ENV12HP230V1R32AO	215415571	12K	23.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	10 / 15		1/4 - 1/2	66	40		
	SAP12HP230V1R32AO	215415530	12K	23.0 / 13.0	9.0 / 1.90	-20 - 122	-22 - 86	11 / 15		1/4 - 1/2	131	82		
CON18HP230V1R32AH	VIR18HP230V1R32AO	215417461	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20	1/4 - 1/2	1/4 - 1/2	131	82		
	ENV18HP230V1R32AO	215417454	18K	21.5 / 10.90	8.5 / 1.80	-20 - 122	-22 - 86	16 / 20		1/4 - 1/2	131	82		
	SAP18HP230V1R32AO	TBDT	18K	TBDT	TBDT	TBDT	TBDT	TBDT		TBDT	TBDT	TBDT		
FLOOR STANDING														
FSU36HP230V1R32AH	LIV36HP230V1R32AO	215415558	36K	20.0 / 12.0	8.5 / 2.0	0 - 118	-13 - 75	23 / 35	1/4 - 5/8	1/4 - 5/8	131	82	 Model number: YBE1FB8F Part number: 305001060249	N/A

Note:

- Cassette Grille is required.
 - GREETF05 used with CAS09HP230V1R32AH to CAS18HP230V1R32AH
 - GREETF06 used with CAS24HP230V1R32AH to CAS36HP230V1R32AH
 - GREETD01 used with OWC09HP230V1R32AH to OWC20HP230V1R32AH
- Line set is sized by indoor unit port size.
- R32 products are not backward compatible with R410A products.

MULTI-ZONE

RATED COMBINATIONS

MODEL NUMBER	TWO UNITS	THREE UNITS	FOUR UNITS	FIVE UNITS
MUL18HP230V1R32AO	9+9			
	9+12			
	12+12			
ABOVE SIZES PLUS:				
MUL24HP230V1R32AO	9+18	9+9+9		
	12+18	9+9+12		
	18+18	9+9+18		
		9+12+12		
		12+12+12		
MUL30HP230V1R32AO	ABOVE SIZES PLUS:	ABOVE SIZES PLUS:		
	9+24	9+9+24	9+9+9+9	
	12+24	9+12+18	9+9+9+12	
	18+24	12+12+18	9+9+9+18	
MUL36HP230V1R32AO			9+9+12+12	
	ABOVE SIZES PLUS:	ABOVE SIZES PLUS:	ABOVE SIZES PLUS:	
	9+24	9+9+24	9+9+9+24	
	12+24	9+12+24	9+9+12+18	
	18+24	9+18+18	9+9+12+24	
	24+24	9+18+24	9+9+18+18	
		12+12+24	9+12+12+12	
		12+18+18	9+12+12+18	
		12+18+24	12+12+12+12	
18+18+18		12+12+12+18		
MUL42HP230V1R32AO MUL48HP230V1R32AO	ALL THE ABOVE SIZES	ABOVE SIZES PLUS:	ABOVE SIZES PLUS:	
		9+24+24	9+9+18+24	9+9+9+9+9
		12+24+24	9+12+12+24	9+9+9+9+12
		18+18+24	9+12+18+18	9+9+9+9+18
			9+12+18+24	9+9+9+9+24
			9+18+18+18	9+9+9+12+12
			12+12+12+24	9+9+9+12+18
			12+12+18+18	9+9+9+12+24
			9+9+9+18+18	9+9+9+18+18
			9+9+12+12+12	9+9+12+12+12
			9+9+12+12+18	9+9+12+12+18
			9+12+12+12+12	9+12+12+12+12
			12+12+12+12+12	12+12+12+12+12
			9+9+12+12+18	9+9+12+12+18
			9+12+12+12+12	9+12+12+12+12
			9+12+12+12+18	9+12+12+12+18
		12+12+12+12+12	12+12+12+12+12	

Note: You may substitute the 9K unit with a 5K or 7K High Wall unit.

GLOSSARY

- AWG: Main Power Wire Size
- MCA: Min Circuit Amps
- MOCP: Max Over Current Protection (Amps)
- E.S.P.: External Static Pressure

NOTES

ELECTRICAL & COMMUNICATION

- System must be on a single dedicated circuit
- Main power is supplied to the outdoor unit
- Follow all local building codes and NEC regulations
- Interconnecting Cable recommendation: 14/4 AWG stranded copper conductors, THHN 600V unshielded wire
- Use shielded cable if installation is in close proximity to RF and EMI transmitting devices

SYSTEM EFFICIENCY RATINGS

- Check AHRI Documents for SEER2 / EER2 / HSPF2 Ratings

LINE SETS

- Minimum length to indoor unit: 10
- Line Sets are sized to indoor unit port sizes
- See submittal for line set adapters included with outdoor unit, additional field supplied adapters may be required

WIRED & REMOTE CONTROLLERS

- Wireless Remote Controller included with all models
- XE72 WiFi Wired controller is optional for Livo R32, Vireo R32, Envo R32, Sapphire R32 and Mini console R32
- Built-in WiFi for Sapphire R32, Vireo R32, Envo R32 and Livo R32 High Walls
- XE72 WiFi wired controller is included with Slim Duct, Floor/Ceiling, 360° Cassette and One Way Cassette

INSTALL

- Wind baffle not required for outdoor units

CENTRAL AIR

OUTDOOR UNITS											
Outdoor Model No.	Indoor Model No.	Nominal Capacity (Btu)	AHRI NO.	SEER2 / EER2	HSPF2 / COP @5 °F	Cooling Range (°F)	Heating Range (°F)	MCA / MOCP (A) OUTDOOR	Line Set (Port) Size (inch)	Max line length (ft)	Max Lift/ Drop OD to ID units (ft)
		FLEXX ULTRA R32									
FXU24HP230V1R32AO	FXU24HP230V1R32AH	24K	215213329	18.0 / 12.5	10.0 / 2.0	5 - 129	-22 - 75	27.7/ 30	3/8 - 3/4	164	98
FXU36HP230V1R32AO	FXU36HP230V1R32AH	36K	215213330	18.0 / 12.0	10.0 / 2.0	5 - 129	-22 - 75	27.7/ 30	3/8 - 3/4	164	98
FXU48HP230V1R32AO	FXU48HP230V1R32AH	48K	215213331	19.0 / 12.0	10.0 / 2.0	5 - 129	-22 - 75	40 / 45	3/8 - 3/4	98	49
FXU60HP230V1R32AO	FXU60HP230V1R32AH	60K	215213332	18.5 / 11.7	10.5 / 2.10	5 - 129	-22 - 75	40 / 45	3/8 - 3/4	98	49