

## SUBMITTAL DATA

LIV36HP230V1R32AH for Use with Multi R32  
36000 BTU/H Wall Mounted Unit

|                  |              |      |
|------------------|--------------|------|
| Job Name         | Location     | Date |
| Purchaser        | Engineer     |      |
| Submitted to     | For          |      |
| Unit Designation | Schedule No. |      |

|                                                                                                     |                                                                                                              |                                                                                                              |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|  <p>YBE1FB1F</p> |  <p>LIV36HP230V1R32AH</p> |  <p>XE71 (Optional)</p> |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|

## GENERAL FEATURES

- New R32 Refrigerant
- Compact and Quiet Design
- Wireless Remote with LCD Display
- Wired Controller Options
- Wi-Fi Included
- Low Ambient Cooling Based on Outdoor Unit Performance
- Low Ambient Heating Based on Outdoor Unit Performance
- Coil (Indoor) Copper Tube / Aluminum Fin
- Blue Colored Fin - 500 Hrs Salt Spray Tested

## SPECIFICATIONS, FEATURES & FUNCTION SUMMARY



| SYSTEM TYPE                                                           |                      |       | HEAT PUMP                                                          |  | FEATURES & FUNCTIONS SUMMARY       |           |
|-----------------------------------------------------------------------|----------------------|-------|--------------------------------------------------------------------|--|------------------------------------|-----------|
| Indoor Model                                                          |                      |       | LIV36HP230V1R32AH                                                  |  | Wired Controller Interface         | Yes       |
| SYSTEM PERFORMANCE                                                    |                      |       |                                                                    |  | WiFi Included                      | Yes       |
| Cooling Capacity                                                      | Nominal              | Btu/h | 36,000                                                             |  | Indoor Fan Type                    | Crossflow |
|                                                                       | Rated Capacity @95°F | Btu/h |                                                                    |  | Multi Fan Speeds                   | 7 Speeds  |
| Heating Capacity                                                      | Nominal              | Btu/h | 36,000                                                             |  | Indoor Unit Display                | Yes       |
|                                                                       | Rated Capacity @47°F | Btu/h |                                                                    |  | Auxiliary Electrical Heater        | No        |
|                                                                       | Rated Capacity @17°F | Btu/h |                                                                    |  | Ventilation (Outdoor Air)          | No        |
|                                                                       | Rated Capacity @5°F  | Btu/h |                                                                    |  | REMOTE CONTROLLER FUNCTIONS        |           |
| SEER2                                                                 |                      |       | System Performance Based on the Connected Outdoor Unit Performance |  | Auto Mode                          | Yes       |
| EER2                                                                  |                      |       |                                                                    |  | Auto Fan                           | Yes       |
| HSPF2                                                                 |                      |       |                                                                    |  | Auto Swing (Horizontal Auto Swing) | Yes       |
| COP @5°F                                                              |                      |       |                                                                    |  | Auto Swing (Vertical Auto Swing)   | Yes       |
| Cooling Temperature Range                                             |                      | °F    |                                                                    |  | Clock on Remote Controller         | Yes       |
| Heating Temperature Range                                             |                      | °F    |                                                                    |  | Dry Mode                           | Yes       |
| Refrigerant Type                                                      |                      |       | R32                                                                |  | Dry Anti-Mildew (X-Fan) Mode       | Yes       |
| INDOOR UNIT                                                           |                      |       | LIV36HP230V1R32AH                                                  |  | Energy Saving Mode                 | Yes       |
| Air flow (Min - Max)                                                  |                      | CFM   | 441 - 794                                                          |  | Dirty Filter Alert                 | No        |
| Sound Pressure Level (Min - Max)                                      |                      | dB(A) | 36 - 52                                                            |  | I Feel Function                    | Yes       |
| Dehumidification                                                      |                      | pt/hr | 7.40                                                               |  | Lock on Remote Controller          | Yes       |
| External Dimensions (W x H x D)                                       |                      | in    | 42-7/16 x 13-7/64 x 9-11/16                                        |  | Quiet Mode                         | Yes       |
| Package Dimension (W x H x D)                                         |                      | in    | 44-39/64 x 16-19/64 x 13-7/64                                      |  | Room Temperature Display           | Yes       |
| Net Weight                                                            |                      | lbs   | 34.2                                                               |  | Sleep Mode                         | Yes       |
| Gross Weight                                                          |                      | lbs   | 40.8                                                               |  | Timer Mode                         | Yes       |
| REFRIGERANT PIPING                                                    |                      |       |                                                                    |  | Turbo Mode                         | Yes       |
| Line Set Sized by the Indoor Unit (Liquid - Gas) - Flared Connections |                      | in    | 1/4 - 5/8                                                          |  | Display On/Off Control             | Yes       |
| ELECTRICAL                                                            |                      |       |                                                                    |  | Freeze Guard Mode (46°F)           | Yes       |
| Power Supply                                                          |                      |       | 208-230V / 1Ph / 60Hz<br>(Powered by the Outdoor Unit)             |  | Display On/Off Control             | Yes       |

DIMENSIONS & CLEARANCES

INDOOR UNIT


Unit: inch

| LIV36HP230V1R32AH |         |
|-------------------|---------|
| DIMENSIONS        |         |
| W                 | 42 7/16 |
| H                 | 13 7/64 |
| D                 | 9 11/16 |
| W1                | 6 15/64 |
| W2                | 22 7/64 |
| W3                | 10 5/32 |



INDOOR UNIT

Minimum clearance



Specifications are subject to change without notice. Manufacturer reserves the right to discontinue or modify specifications or designs without notice or without incurring obligations. All Rights reserved.