


SUBMITTAL DATA

WZEN24HPJ132AH / WZEN24HPJ132AO
24000 BTU/H Wall Mounted Heat Pump System

Job Name	Location		Date
Purchaser	Engineer		
Submitted to	For		
Unit Designation	Schedule No.		

 YBE1FB1F	 WZEN24HPJ132AH	 WZEN24HPJ132AO	 XE71 (Optional)
---	---	--	--

GENERAL FEATURES

- AHRI Certificate: [217452896](#)
- New R32 Refrigerant
- High Efficiency DC Inverter Technology
- Compact and Quiet Design
- Wireless Remote with LCD Display
- Wired Controller Options
- A2L Sensors are not included
- Wi-Fi Included
- Low Ambient Cooling down to 0°F (Range 0°F to 118°F)
- Low Ambient Heating down to -13°F (Range -13°F to 75°F)
- Coil (Indoor and Outdoor) Copper Tube / Aluminum Fin
- Blue Colored Fin - 500 Hrs Salt Spray Tested

SPECIFICATIONS, FEATURES & FUNCTION SUMMARY



SYSTEM TYPE			HEAT PUMP		FEATURES & FUNCTIONS SUMMARY	
Outdoor Model			WZEN24HPJ132AO		Inverter Type	G20
Indoor Model			WZEN24HPJ132AH		Ultra Low Frequency Torque Control	Yes
SYSTEM PERFORMANCE						
Cooling Capacity	Min - Max	Btu/h	5,800 - 26,270		Power Factor Correction	Yes
	Rated Capacity @95°F	Btu/h	24,000		Basepan With Electric Heater	Yes
Heating Capacity	Min - Max	Btu/h	5,400 - 26,600		Compressor With Electric Heater	Yes
	Rated Capacity @47°F	Btu/h	24,000		Outdoor Fin Coating (Color:Blue)	Acrylic-Resin/Anti-Corrosive
	Rated Capacity @17°F	Btu/h	19,200		Intelligent Defrosting	Yes
	Rated Capacity @5°F	Btu/h	15,700		Force Defrosting	Yes
SEER2			19.0		Intelligent Preheating	Yes
EER2			11.9		Low Voltage Startup	Yes
HSPF2			8.5		Memory/Power Failure Recovery	Yes
COP @5°F			1.75		Self Diagnosis	Yes
Cooling Temperature Range		°F	0 - 118		Wired Controller Interface	Yes
Heating Temperature Range		°F	-13 - 75		WiFi Included	Yes
Refrigerant Type			R32		Indoor Fan Type	Crossflow
INDOOR UNIT			WZEN24HPJ132AH		Multi Fan Speeds	7 Speeds
Air flow (Min - Max)		CFM	412 - 677		Indoor Unit Display	Yes
Sound Pressure Level (Min - Max)		dB(A)	36 - 51		Auxiliary Electrical Heater	No
Dehumidification		pt/hr	5.28		Ventilation (Outdoor Air)	No
External Dimensions (W x H x D)		in	44-51/64 x 13-7/64 x 9-51/64		REMOTE CONTROLLER FUNCTIONS	
Package Dimension (L x W x H)		in	47-3/32 x 16-11/32 x 13-17/64		Auto Mode	Yes
Net Weight		lbs	33.1		Auto Fan	Yes
Gross Weight		lbs	39.7		Auto Swing (Horizontal Auto Swing)	Yes
OUTDOOR UNIT			WZEN24HPJ132AO		Auto Swing (Vertical Auto Swing)	Yes
Compressor Type		GREE G20 / SINGLE CYLINDER / 1 - STAGE INVERTER		Clock on Remote Controller	Yes	
Sound Pressure Level		dB(A)	58		Dry Mode	Yes
External Dimensions (W x H x D)		in	37-23/32 x 25-63/64 x 15-53/64		Dry Anti-Mildew (X-Fan) Mode	Yes
Package Dimension (L x W x H)		in	40-5/8 x 17-61/64 x 29-1/64		Energy Saving Mode	Yes
Net Weight		lbs	93.7		Dirty Filter Alert	No
Gross Weight		lbs	103.6		I Feel Function	No
REFRIGERANT PIPING					Lock on Remote Controller	Yes
Refrigerant Charge - R32		oz	42.3		Quiet Mode	Yes
Additional Charge		oz/ft	0.1		Room Temperature Display	Yes
Line Set Size (Liquid - Gas) - Flared Connections		in	1/4 - 1/2		Sleep Mode	Yes
Pre-Charge Length		ft	25		Timer Mode	Yes
Pipe Length (Min - Max)		ft	10 - 131		Turbo Mode	Yes
Max. Pipe Elevation		ft	82		Display On/Off Control	Yes
ELECTRICAL						
Power Supply		208-230V / 1Ph / 60Hz (Powered by the Outdoor Unit)				
Voltage Range (Min - Max)		VAC	187 - 253			
Rated Current - Cooling		A	11			
Rated Current - Heating		A	12			
MOCP		A	20			
MCA		A	15			
Main Power Wire Size		AWG	Per Local Code			
Interconnecting Wire Size		AWG	14 / 4			

DIMENSIONS

INDOOR UNIT

Unit: inch


WZEN24HPJ132AH	
DIMENSIONS	
W	44 51/64
H	13 7/64
D	9 51/64



OUTDOOR UNIT

Unit: inch


WZEN24HPJ132AO	
DIMENSIONS	
A	35 3/64
B	37 23/32
C	2 9/16
D	6 33/64
E	25 63/64
F	22 7/16
G	14 39/64
H	15 53/64



CLEARANCES



INDOOR UNIT

Minimum clearance



OUTDOOR UNIT

Minimum clearance



Specifications are subject to change without notice. Manufacturer reserves the right to discontinue or modify specifications or designs without notice or without incurring obligations. All Rights reserved.

GREECOMFORT.COM/SYSTEM-DOCUMENTATION